


The perfect meeting point between Diva Fluid and Universal frame
Il punto d'incontro perfetto tra Diva Fluid e il telaio Universal





PATENTED

Diva Fluid Frame is the new **patented sliding system** dedicated to design doors, shaped by exposed aluminium tracks and **Fluid** next generation soft-closing technology combined with **Universal Frame**.

Diva Fluid Frame is **featuring by minimal style** thanks to optimized sliding trolleys, meanwhile patented **Fluid** dampers are totally concealed into the tracks in order to **stand out the original design of the door**.

The exposed aluminium sliding tracks are **available in various modern finishing solutions** according to latest architectural and aesthetical trends.

Diva Fluid Frame è l'innovativo **sistema scorrevole brevettato** con fermi ammortizzati **Fluid** di ultima generazione combinato con il **telaio Universal**, dedicato a porte di design.

Caratterizzato da uno **stile minimalista**, il nuovo sistema **Diva Fluid Frame** con scorrimento frontale **esalta il design originale della porta** con scorrevoli nascosti. I fermi brevettati **Fluid** risultano completamente integrati nei binari in modo da azzerarne l'impatto visivo.

I binari di scorrimento sono disponibili in **varie soluzioni di finitura moderne**, coerentemente con le ultime tendenze estetiche e di architettura.



Diva Fluid Frame

The perfect union between Diva Fluid and Universal frame
L'unione perfetta tra Diva Fluid e il telaio Universal

Minimal and linear design, with the highest resistance

The vertical upright with reduced dimensions will decrease visibility of extruded profiles. The lines will then result linear and clean. No additional drilling or milling processing are needed. Tubular extruded profiles, metal joints, maximal grip, load-bearing connectors, bi-extruded gaskets: all components contribute to grant the glass weight to be sustained by vertical uprights and horizontal crosstracks, halving the pressure of it.

Design pulito e lineare, con la massima resistenza

Il montante verticale con dimensioni ridotte riduce la visibilità degli estrusi. Le linee risultano così lineari e pulite. Non sono necessarie lavorazioni di foratura e fresatura. Estrusi tubolari, giunzioni in metallo, aderenza massima, attacchi portanti, guarnizione biestrusa: il peso del vetro è sostenuto dai montanti e dai traversi, e ne viene dimezzata la pressione.



“The new UNIVERSAL frame is the perfect answer to the demand of an elegant, performant and high resistant product”

“Il nuovo telaio UNIVERSAL è la risposta perfetta alle richieste di un prodotto elegante, ma funzionale e resistente”



Versatility and resistance

The new Universal frame's extruded profiles are tubular in order to grant maximum resistance and are assembled by metal joint connectors, without any additional drilling precessing requirement: this allows to cut profile's bars to favourite size, with no additional drilling or milling precess, always granting the best grip.

Resistenza e flessibilità

I nuovi estrusi del telaio Universal sono tubolari, per ottenere la massima resistenza, e vengono assemblati tramite giunzione in metallo, senza necessità di lavorazioni di foratura: questo permette di tagliare la barra nella misura preferita, senza fori né fresate, e di ottenere la massima aderenza.


Diva Fluid Frame

COMPLETE BOX KIT / KIT COMPLETO IN SCATOLA



K	Complete kit / Kit completo								
		0551							
				1	N.2 Fluid dampers N.2 Fermi ammortizzati Fluid				
				2	N.2 Standard stoppers N.2 Fermi standard				
						1	Max width: 1000 mm - Max height: 2200 mm Larghezza max: 1000 mm - Altezza max: 2200 mm		
						2	Max width: 1500 mm - Max height: 3000 mm Larghezza max: 1500 mm - Altezza max: 3000 mm		
						3	Max width: 1200 mm - Max height: 2600 mm Larghezza max: 1200 mm - Altezza max: 2600 mm		
								02	Brushed Anodized Silver Argento Spazzolato
								13	Brushed Anodized Dark Brown E3 Spazzolato
								15	Brushed Anodized Black Nero Spazzolato
								17	Brushed Anodized Nickel Nichel Spazzolato

EXAMPLE / ESEMPIO



Tracks / Binari

ALUMINUM FINISHES CODES / CODICI FINITURE ALLUMINIO



CODE / CODICE	DRILLED CODE / CODICE FORATO	FINISH COLOR / COLORE FINITURA		
8 01 0.0	8 01 2.0		01 A	Anodized Silver / Argento
8 02 0.0	8 02 2.0		02 AS	Brushed Anodized Silver / Argento Spazzolato
8 12 0.0	8 12 2.0		12 E3	Anodized Dark Brown / E3
8 13 0.0	8 13 2.0		13 E3S	Brushed Anodized Dark Brown / E3 Spazzolato
8 14 0.0	8 14 2.0		14 N	Anodized Black / Nero
8 15 0.0	8 15 2.0		15 NS	Brushed Anodized Black / Nero Spazzolato
8 16 0.0	8 16 2.0		16 NK	Anodized Nickel / Nichel
8 17 0.0	8 17 2.0		17 NKS	Brushed Anodized Nickel / Nichel Spazzolato

Diva Fluid Frame Optional

COMPLETE BOX KIT / KIT COMPLETO IN SCATOLA



C.0420	Complete handle kit / Coppia uni-maniglia						
		A	Accessories / Accessori				
				0	120 mm Aluminum 120 mm Alluminio		
						02	Brushed Anodized Silver Argento Spazzolato
						13	Brushed Anodized Dark Brown E3 Spazzolato
						15	Brushed Anodized Black Nero Spazzolato
						17	Brushed Anodized Nickel Nichel Spazzolato
				1	Full zamak handle Maniglia piena zama		
				2	Zamak hollow handle Maniglia cava zama		
						41	Painted Black Verniciato Nero
						42	Painted Silver Verniciato Argento

Optional

FINISHES CODES / CODICI FINITURE


FINISH COLOR / COLORE FINITURA

02 AS	Brushed Anodized Silver / Argento Spazzolato
13 E3S	Brushed Anodized Dark Brown / E3 Spazzolato
15 NS	Brushed Anodized Black / Nero Spazzolato
17 NKS	Brushed Anodized Nickel / Nichel Spazzolato
41 NV	Painted Black / Verniciato Nero
42 AV	Painted Silver / Verniciato Argento



Diva Fluid Frame

The perfect union between Diva Fluid and Universal frame
L'unione perfetta tra Diva Fluid e il telaio Universal



600 ÷ 1500 mm



Max 3000 mm



80 kg

COLORS / COLORI



Brushed Anodized Silver
Argento Spazzolato




















Brushed Anodized Nickel
Nichel Spazzolato



Brushed Anodized Dark Brown
E3 Spazzolato



Brushed Anodized Black
Nero Spazzolato

N°			kg		N°			kg	
1	2560		80		7	2567/A		-	
	8 02 0.02560					2567/E3			
	8 13 0.02560					2567/N			
	8 15 0.02560					2567/NK			
2	2570		80		8	2565		-	
	8 01 2.02570								
	8 12 2.02570								
	8 14 2.02570								
3	2564_DX		80		9	3491		-	
	2564_SX								
4	2573/A		80		11	2761		-	
	2573/E3								
	2573/N								
	2573/NK								
10	2580		80		12	2578		-	
	8 02 0.02580								
	8 13 0.02580								
	8 15 0.02580								
5	2774		80		13	2751		-	
	8 17 0.02580								
	8 14 0.02751								
	8 17 0.02578								
6	2562/80		80		14	1577		-	
	8 17 0.02578								
	8 14 0.02751								
	8 17 0.02578								
6A	2569		80		15	2765		-	
	8 17 0.02578								
	8 14 0.02751								
	8 17 0.02578								

Diva Fluid Frame

The perfect union between Diva Fluid and Universal frame
L'unione perfetta tra Diva Fluid e il telaio Universal



80 kg

FLUID
N.2 Fluid dampers
N.2 Fermi ammortizzati
Fluid



Patented system
Sistema brevettato



Ball bearings
Cuscinetti a sfera



Anodized Silver
Argento



Anodized Dark Brown
E3



Anodized Black
Nero




Anodized Nickel
Nichel

N°10 (6000.00054)
Ø4,5x20

N°4 (6000.00056)
Ø2,9x13

N°8
ART. 3491(1242.06396)



W	H	CODE	COLOURS / COLORI				
			AS	NKS	E3S	NS	
1000 mm	2200 mm	K.0551.1.1	.02	.17	.13	.15	1x
1200 mm	2600 mm	K.0551.1.3	.02	.17	.13	.15	1x
1500 mm	3000 mm	K.0551.1.2	.02	.17	.13	.15	1x



80 kg

N.2 Standard stoppers
N.2 Fermi standard



Patented system
Sistema brevettato



Ball bearings
Cuscinetti a sfera



Anodized Silver
Argento



Anodized Dark Brown
E3



Anodized Black
Nero




Anodized Nickel
Nichel

N°10 (6000.00054)
Ø4,5x20


N°4 (6000.00056)
Ø2,9x13

N°8
ART. 3491(1242.06396)




W	H	CODE	COLOURS / COLORI				
			AS	NKS	E3S	NS	
1000 mm	2200 mm	K.0551.2.1	.02	.17	.13	.15	1x
1200 mm	2600 mm	K.0551.2.3	.02	.17	.13	.15	1x
1500 mm	3000 mm	K.0551.2.2	.02	.17	.13	.15	1x


STANDARD HOLES AND MEASUREMENTS / FORATURE E MISURE STANDARD



HOLES AND SIZES ON REQUEST / FORATURE E MISURE A RICHIESTA



TRACKS / SPECIFY ARTICLE NUMBER, LENGTH AND COLOR WHEN ORDERING BINARI / AL MOMENTO DELL'ORDINE SPECIFICARE ARTICOLO, LUNGHEZZA E COLORE



ART. 2560
8 **02** 0.02560
8 **13** 0.02560
8 **15** 0.02560
8 **17** 0.02560




ART. 2570
8 **01** 2.02570
8 **12** 2.02570
8 **14** 2.02570
8 **16** 2.02570






01	Anodized Silver Argento
02	Brushed Anodized Silver Argento Spazzolato
12	Anodized Dark Brown E3
13	Brushed Anodized Dark Brown E3 Spazzolato
14	Anodized Black Nero
15	Brushed Anodized Black Nero Spazzolato
16	Anodized Nickel Nichel
17	Brushed Anodized Nickel Nichel Spazzolato

Diva Fluid Frame


The perfect union between Diva Fluid and Universal frame
L'unione perfetta tra Diva Fluid e il telaio Universal

COMPLETE KIT (FOR DOOR HANDLE)
KIT COMPLETO (PER MANIGLIA)




CODE	COLOURS / COLORI				
	 AS	 NKS	 E3S	 NS	
C.0420.A.0 <input type="checkbox"/>	<input type="checkbox"/> .02	<input type="checkbox"/> .17	<input type="checkbox"/> .13	<input type="checkbox"/> .15	—

OPTIONAL
+




COMPLETE KIT (FOR DOOR HANDLE)
KIT COMPLETO (PER MANIGLIA)




C.0420.A.1




C.0420.A.2



OPTIONAL
+

CODE	COLOURS / COLORI		
	 NV	 AV	
C.0420.A.1 <input type="checkbox"/>	<input type="checkbox"/> .41	<input type="checkbox"/> .42	—
C.0420.A.2 <input type="checkbox"/>	<input type="checkbox"/> .41	<input type="checkbox"/> .42	—

STANDARD MEASUREMENTS DESCRIPTION / DESCRIZIONI MISURE STANDARD





Terno Scorrevoli S.p.A.

**Via Ravenna, 4 - 20814 Varedo (MB) ITALY
Phone +39 0362 543001 - Fax +39 0362 582290**

**terno@ternoscorrevoli.com
www.ternoscorrevoli.com**